TABLE OF CONTENTS

1)	SUMMARY	.1
2)	BASIC INSTRUCTIONS	. 1
3)	CONFIGURATION	.6
4)	HISTORY	.7
<i>5)</i>	HTML EDITOR	.8
<i>6)</i>	SUBSCRIPTIONS AND CANCELLATIONS MANAGEMENT	.9
7)	MAILING LIST MANAGEMENT	10
8)	E-MAIL MARKETING	13
9)	TROUBLESHOOTING	15

1) <u>SUMMARY</u>

Pro Email Sender is a programme used to send a certain number of e-mails.

Companies that work in the e-mail marketing field or anybody needing to send one or more electronic mail messages will find this type of programme particularity interesting.

Pro Email Sender is a very easy to use software product.

In any case, to illustrate in detail the main functions of the product and to follow the user step-by-step until he has understood the contents and power of the software, we have decided to include this small guide.

2) **BASIC INSTRUCTIONS**

Once the software has been installed and after having clicked on the appropriate icon, a window similar to the one below will appear:

😽 Pro Email Sender 1.37								
ile Send Log Options Utility ?								
Email Loaded 0 Email ser	ent 0 Email to ser	nd 0 Email not sent for error	0					
Time Required 0 Elapsed	I Time 0 Remaining Tim	e 0 🔽 Autoscroll						
E-Mail N	Mail Server	State	Notes					
	😽 Pro Email Sender							
	Select the operation	type						
	Create a new profile o	f the E-Mail to send						
	C Use an existing profile							
		ОК	Cancel					
		OK						
			Pro Email Sender 🗙					
			¥					
<u>k</u>			If it's the first time, please select DK otherwise select an exist profile or create a new profile.					

At this point, unless the user wishes to use an existing profile, press **OK** and when asked to specify a profile file, confirm again.

The next window to appear will be similar to the following window:

Select the operation type							
I already have a message to send							
O) don't have a message, I will use this program to create the message							
OK Cance							

If an html format file or a text that contains the message to be sent is already available, press **OK**. On the other hand select option **N** $^{\circ}$ **2**, which will start up a HTML editor and allow a new message to be created in HTML format (*for more detailed information, see paragraph HTML EDITOR*).

If option **N°1** has been selected, a similar window will appear:

🤝 Pro Email Sender	
Select the operation type	
🗭) have an e-mail address list on a local file	
C) have an e-mail address list on a remote server	
	OK Cancel

If an Access format database, text or Excel is available on your computer, press **OK**. If on the other hand a SQL Server database is available on a remote server, then specify option $N^{\circ}2$.

The next window, if the file specified is not a text file, is as follows:

-
-
-
>>
>>
Cancel

This part of the programme is very important, as it is possible to select several choices. The first thing to do is to select the table and the field containing the E-mail addresses. It is also possible to define a filter on the addresses to be sent by pressing the >> key next to '**Filter data to be sent**' and a window similar to the following window will appear:

Field		perator Va	alue	
Field	01 •	perator Va	alue	
Field		perator Va	alue	
Advanced Mode I	(only for expert use	rs)		
SELECT Email,* FRC	M [Companies]			

This window allows specifying one or more filters depending on ones needs. For example, if e-mails must be sent only to the region of "Lombardy", it is sufficient to specify as a field 'region' (*if the field exists and is called that way*) operator = and the value 'Lombardy'. Once the filter has been defined, press the test key to check that the database supports this filter and finally select **OK**.

The following window can be particularly useful, as it can be used to send personal e-mails, for example Mr. Mario Rossi, Mr. Roberto Esposito, etc.

😽 User Define fields								
This fields may be useful to enter further information in the message Add the field's alias to the html code in order to make modification effective. Fields list								
Custom field 0	Alias	Custom field 1	Alias					
	<80'>		<&11>					
Custom field 2	Alias	Custom field 3	Alias					
·	<82b	·	<&3'⊳					
Custom field 4	Alias	Custom field 5	Alias					
	<841>	·	<85⊳					
Custom field 6	Alias	Custom field 7	Alias					
	<86>	·	<&7'>					
Custom field 8	Alias	Custom field 9	Alias					
	<88>		<89>					
		Ok	Cancel					

The operation functions in the following way: specify a name or surname type field in the customized field boxes. In the HTML file that contains the message to be sent, substitute a test string of type 'Dear Sirs' or 'Dear User' or something similar with an alias (i.e. the string <&0>) corresponding to the field chosen.

When the programme sends the e-mails, it will recognise the selected filed and substitute it with the corresponding value.

The final result will be a more professional message, to make the person receiving the e-mail believe it is a confidential message. The next window is as follows:

🕏 Profile settings	
Main Settings	Other Settings
Main data	
Profile description	Message subject
Profile without name	The web site XXX will be On-Line soon
Account (Sender's E-mail) SMTP Server Auth info@pro-software.it Anti-Spam Settings	Name displayed Servizio Informazioni ProSoftware
Total E-mail E-mail to send	E-mail to send at once Pause
549 (Email) 549 (Email) 60 (Email) 5 (Minutes)
Preview	Simulation Send Exit

The programme is ready to send the e-mails.

Check that all fields are compiled, above all the SMTP Server field. More attention should be paid to the anti-spam settings: many mail servers to avoid spam when sending mail cancel sending after 1000 e-mails.

To avoid this, the programme can send a certain number of e-mails at a time with a pause expressed in minutes.

For checking purposes and to see the message before it is sent, it is possible to press '**Preview**'. To finally send the message, press the '**Send**' button.

3) <u>CONFIGURATION</u>

Usually the programme is ready for use and does not need any particular settings. More experienced users can however configure some settings for certain personal needs by using the window below:

If only very slow connections are available, it may be necessary to set higher timeout values. The part regarding history can be used to manage the actions to be performed for the various type of mailing:

Configure			
General		ſ	History
SMTP			
Connection Timeout	30 Seconds	Max number of attempts	3 Attempts
Send Timeout data	35 Seconds	Reception data Timeout	45 Seconds
Format			
X-Mailer ProSoftware Pro Email Sende	er 🗨	Character Set Western B	Surope: ISO 8859-1
Sending mode			
Through Local SMTP (Raccomandated)	C Through DNS	(Not raccomandated)	
Primary DNS		Secondary DNS	
Detect			Detect
Log			
Maximum size 1000 Kf	B 🧮 Don't update I	log file	
			OK Cancel


4) <u>HISTORY</u>

The history archive contains the list of all e-mails sent. It can be particularly useful to check if a message has been sent:

\$	🕏 History								
Sent E-mails database									
	ID	E-Mail	Sent	Profile subject		Description			
L									
	Search E-	mail							
	Find	(E-mail address)		Execute					
	r ing	fer mail additioned)		Execute					
	Sort								
								1	
	● ID	C E-Mail	0) Date	C Subject		C Description		
								1	
								Exit	

5) <u>HTML EDITOR</u>

Pro Email Sender also includes a simple HTML editor for users that are experienced in this language. To access the HTML editor, select 'HTML editor' on the utility menu and a window similar to the one below will appear:



Whoever uses integrated instruments that simplify writing HTML code, such as Macromedia Dreamweaver and Microsoft FrontPage will surely find this instrument familiar and intuitive.

6) SUBSCRIPTIONS AND CANCELLATIONS MANAGEMENT

The programme allows indirect management of subscriptions and cancellations by using simple HTML code inserted inside the newsletter:

Stanage Subscriptions	×
Insert one of these HTML codes in your newsletter.	
HTML code to unsubscribe from this newsletter	
¦BR> To unsubscribe and don't receive this newsletter <a href="mailto:myemail@mydomain.com?Subject=Unsubscribe&body=<&00" ≽'="">Click here 	
HTML code to subscribe to this newsletter	
 To subscribe to this newsletter <a href="mailto:myemail@mydomain.com?Subject=Subscribe&body=<&00">'>Click here 	
1	
Remember to replace the email address 'myemail@mydomain.com' with your email.	

At this point, once the newsletter has been sent, the recipients can click on the link 'I would like to subscribe' or 'I do not want to receive this newsletter'.

These answers will be automatically received at the e-mail address specified in the HTML code described above.

7) MAILING LIST MANAGEMENT

Using mailing list management it is possible to create e-mail address lists by importing and elaborating data from databases of various formats.

At this point in time the programme supports importing and saving Access, Excel and Text data. The first thing to do is to import a database.

In the following example, an Access database has been imported:

💖 Manage Mailin	na liet			×
		vent e vreil edduere linte evelu eler	nge, and merge it into only one mailing list.	
vvitn Mailing list mar	nagement is possible to import diffe	rent e-mail address lists, apply chai	nge, and merge it into only one mailling list.	
Current File	C:\Documents and Settings\Marco	Panza)		
Table	Access	•	Field	
Field	Email	-		
Data Filter	Remove filter			
Imported Reco			Mailing list to be created	
Email		Transfer >	Maning list to be created	Add e-mail
info@pro-softwar				
marcopanza@pro support@pro-soft		Remove All <		Remove All <
support@pro-sort	warc.it	Extended grid		Extended grid
				Save Mailing List
				Remove duplicates
1			ļ]	
Records loaded: 3			Records loaded: 0	

It is now possible to perform filters using the '**Extended Grid**' button to display the data on a full screen or the data can be transferred using the "Transfer" button.

♥ Manage Mai With Mailing list		ssbile to import different e-mail addre	ss lists, apply chan	ge, and merge it into only one mailing lis	st.	×
Current File	C:\Documents	s and Settings Marco Panza \				
Table	Access					
				Field		
Field	Email	•			_	
Data Fi	tter	Streck links				
Imported R	ecords	Please check if all links to field	ls are correct			
Email		Source fields	Link	Destination fields		Add e-mail
info@pro-softv	ware.it	D	Link to	ID		
	pro-software.it	Nominativo	Link to	Nominativo		Remove All <
support@pro-s		Indirizzo	Link to	Indirizzo		
		Email	Link to	Email		Extended grid
						Save Mailing List
						Remove duplicates
			Modify	OK Canc	el 📕	
		-				
				L		
Records loader	Records loaded: 3			Records loaded: 0		
	1997 B					

As this is the first imported database, all links will be valid, therefore the user can press **OK**.

Whereas during following imports the database may have a different format and it is normally necessary to modify the links and assign them to the correct fields.

S Manage Mailing list						
vVith Mailing list management is possible to import difference Current File C:VDocuments and SettingsWard Table Access Field Email Data Filter Remove filter		r change, and merge it into only one mailing list. Field Email				
Imported Records Email Info@pro-software.it marcopanza@pro-software.it support@pro-software.it	Transfer > Remove All < Extended grid	Mailing list to be created Enail info@pro-software.it marcopanza@pro-software.it support@pro-software.it	Add e-mail Remove All < Extended grid Save Mailing List I Remove duplicates			
Records loaded: 3 Records loaded: 3						

During this phase it is possible to perform several selections, such as importing another database and adding it to the current database, adding manually an e-mail address using the 'Add e-mail' button or saving the mailing list by pressing the 'Save Mailing List' button.

8) <u>E-MAIL MARKETING</u>

Using this module it is possible to add a small script to the newsletter to be able to monitor the number of clicks the recipient makes when he receives the newsletter.

To use this module it is necessary to have on site a SQL Server database or MY SQL. In the following example a connection script is used for a SQL Server database:

🔤 Pro Email Stat							
New campain	Statistics Report						
Campain description							
Campagna1	Campagna1						
Reference site (es. http://www.mysite.com)							
http://www.pro-software.it							
Link to the product or service (es. http://www	ww.mysite.com/service1.html)						
http://www.pro-software.it/email-software.html							
Database name (Only for MYSQL)							
Veb server type 💽 Micro:	soft (ASP) C Linux (PHP)						
Insert the connection string for database	Exaples						
Provider=SQLOLEDB;User ID=U00000;Password=zzzzzzm;Initial Catalog=DB00000;Data Source=a664.wide.net							
Show HTML code	Delete Save Exit						

For further examples regarding the connection script and the type of database, press the '**Examples**' button.

Finally, press 'save' to display the message below:

🚾 Pro Email Stat	🔳 🗖 🗙				
New campain	Statistics Report				
Campain description					
Campagna1					
Reference site (es. http://www.mysite.com)					
http://www.pro-software.it					
Link to the product or service (es. http://www	/w.mysite.com/service1.html)				
http://www.pro-software.it/email-software	html				
Database name (Only for MVSOL)					
Pro Email Stat					
Now there is a new file on the desk To continue with statistics creation	top Pro_Email_Stat_Request.asp is necessary copy it on the web site http://www.p				
	ОК				
Show HTML code Info	Delete Save Exit				

If the connection script and other information is correct, the programme will create the .asp or .php files to be uploaded to the server.

Once the file has been copied on the server, add the visible HTML code by pressing the 'Show HTML code' button.

The clicks performed by the user will be visible using the 'Statistical reports' option .

9) TROUBLESHOOTING

To avoid some errors, the following suggestions have been listed to be able to use the programme as best as possible:

- 1) Before sending your newsletters, it is recommended to deactivate any firewalls or antivirus programmes to avoid compromising the programme functions.
- 2) If your SMTP server requires authentication, specify the username and password using the AUTH button.
- 3) Bear in mind that when HTML format is used, the images must be presented inside a web server and linked to your newsletter by the appropriate links. In other words the links to the images must not be of the type "c:\mioprog\immagini\imm.gif" but of the type <u>http://www.miosito.it/immagini/imm.gif</u> otherwise the recipients will not be able to display the images.
- 4) To avoid problems when sending attachments, it is highly recommended to send only one attachment at a time in compressed format. The programme obviously supports sending any type of attached file but it is recommended to send only one attached file at a time. Also bear in mind that sending attachments can overload your server. Therefore, where possible, use attachments with small dimensions.
- 5) Lastly, it is recommend not to send more than 50/60 e-mails at once to avoid overloading the SMTP server or to penalise the SMTP server with spam. If you possess a dedicated server this problem may not occur and a greater number of e-mails is possible.